

SurveyMonkey Digital Accessibility Conformance Report

International Edition

(Based on VPAT® Version 2.5 Rev INT)

Name of Product/Version: SurveyMonkey Survey-Taking Platform – Respweb and Responseweb / Current Production Version

Report Date: 2026-09-29

Product Description: SurveyMonkey's web-based survey-taking platform enables respondents to access, navigate, complete, and submit online surveys. This ACR evaluates the accessibility of survey-taking functionality across the Respweb and Responseweb experiences, including supported question types, form controls, navigation, validation and error handling, status messages, and other interactive survey components.

Contact Information:

Email:

Notes: This accessibility evaluation and Accessibility Conformance Report (ACR) were completed by Earl Willis, an External Accessibility Testing Specialist.

Conformance Summary: Based on the accessibility evaluation conducted, the SurveyMonkey Survey-Taking Platform — Respweb and Responseweb demonstrates partial conformance with WCAG 2.2 Level AA. While many applicable success criteria are supported, exceptions were identified where functionality partially supports or does not fully meet specific accessibility requirements, as documented in the detailed conformance tables that follow.

Because WCAG 2.2 Level AA incorporates the applicable WCAG 2.1 Level A and AA success criteria, the evaluation results also address WCAG 2.1 Level AA requirements.

The accessibility evaluation documented in this ACR also addresses applicable Revised Section 508 and EN 301 549 requirements. Conformance and applicable exceptions are documented in the corresponding tables below.

Evaluation Methods Used: The evaluation was conducted using a combination of manual accessibility testing and expert review against applicable WCAG 2.1 and WCAG 2.2 Level A and AA success criteria. Testing included keyboard-only navigation, screen reader testing, color and non-text contrast evaluation, focus behavior, form controls and instructions, error handling, status messages, accessible names and roles, and programmatic structure and relationships.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549:
 - Clause 9 - Web
 - Clauses 10.1-10.4 of Clause 10 - Non-Web documents
 - Clauses 11.1-11.4 and 11.8.2 of Clause 11 - Software
 - Clauses 12.1.2 and 12.2.4 of Clause 12 - Documentation and support services
- Revised Section 508:
 - Chapter 5 - 501.1 Scope and 504.2 Content Creation or Editing
 - Chapter 6 - 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.1 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<u>1.1.1 Non-text Content</u> (Level A) Also applies to: EN 301 549 Criteria ● 9.1.1.1 (Web) ● 10.1.1.1 (Non-web document) ● 11.1.1.1.1 (Open Functionality Software) ● 11.1.1.1.2 (Closed Functionality Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Partially Supports	Most non-text content provides appropriate text alternatives. The following exceptions were identified: ● Respweb: On file upload questions, the “X” icon does not provide an accessible name, preventing screen reader users from programmatically identifying the purpose of the control. ● Responseweb: On file upload questions, the “X” icon does not provide an accessible name, preventing screen reader users from programmatically identifying the purpose of the control.
<u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria ● 9.1.2.1 (Web) ● 10.1.2.1 (Non-web document) ● 11.1.2.1.1 (Open Functionality Software) ● 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs)	Not Applicable	The web application does not include prerecorded audio-only or prerecorded video-only content.

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)		
1.2.2 Captions (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not Applicable	The product does not provide prerecorded multimedia content with audio. Therefore, captions for prerecorded media are not applicable.
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not Applicable	The web application does not include pre recorded video content.
1.3.1 Info and Relationships (Level A)		

Criteria	Conformance Level	Remarks and Explanations
Also applies to: EN 301 549 Criteria ● 9.1.3.1 (Web) ● 10.1.3.1 (Non-web document) ● 11.1.3.1.1 (Open Functionality Software) ● 11.1.3.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Partially Supports	Most information, structure, and relationships conveyed through presentation can be programmatically determined. The following exceptions were identified: Respweb survey: ● Matrix questions contain a blank column in the table structure. Responseweb survey: ● Plain text on the Intro page is unnecessarily marked up as a heading. ● Error message text associated with file upload questions is unnecessarily marked up as a heading. ● Matrix questions contain a blank column in the table structure. ● Plain text within Text A/B and Image A/B questions is unnecessarily marked up as a heading. ● The heading hierarchy for Text A/B and Image A/B questions is incorrect.
<u>1.3.2 Meaningful Sequence</u> (Level A) Also applies to: EN 301 549 Criteria ● 9.1.3.2 (Web) ● 10.1.3.2 (Non-web document) ● 11.1.3.2.1 (Open Functionality Software)	Supports	Screen reader reads the content present in the application in a meaningful sequence with the help of arrow keys.

Criteria	Conformance Level	Remarks and Explanations
• 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)		
1.3.3 Sensory Characteristics (Level A) Also applies to: EN 301 549 Criteria • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Partially Supports	Most instructions do not rely solely on sensory characteristics to convey meaning. The following exceptions were identified: Respweb survey: • Multiple-choice questions 1–4 use an asterisk (*) symbol to identify required fields without providing the required-field information in an equivalent textual form. Responseweb survey: • Multiple-choice questions 1–4 use an asterisk (*) symbol to identify required fields without providing the required-field information in an equivalent textual form.
1.4.1 Use of Color (Level A) Also applies to: EN 301 549 Criteria		

Criteria	Conformance Level	Remarks and Explanations
● 9.1.4.1 (Web) ● 10.1.4.1 (Non-web document) ● 11.1.4.1 (Open Functionality Software) ● 11.1.4.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Supports	The product ensures that information is not conveyed by color alone, supporting accessibility for users with color vision deficiencies. Text labels, patterns, or other visual indicators are used in conjunction with color to differentiate elements and convey meaning.
<u>1.4.2 Audio Control</u> (Level A) Also applies to: EN 301 549 Criteria ● 9.1.4.2 (Web) ● 10.1.4.2 (Non-web document) ● 11.1.4.2 (Open Functionality Software) ● 11.1.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Not applicable	The web application does not include audio content.
<u>2.1.1 Keyboard</u> (Level A) Also applies to: EN 301 549 Criteria ● 9.2.1.1 (Web) ● 10.2.1.1 (Non-web document) ● 11.2.1.1.1 (Open Functionality Software) ● 11.2.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool)	Supports	All functionality is operable through a keyboard interface without requiring specific timings for individual keystrokes.

Criteria	Conformance Level	Remarks and Explanations
12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
2.1.2 No Keyboard Trap (Level A) Also applies to: EN 301 549 Criteria 9.2.1.2 (Web) 10.2.1.2 (Non-web document) 11.2.1.2 (Open Functionality Software) 11.2.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	The application ensures that there are no keyboard traps, allowing users to navigate out of all interactive elements using only the keyboard. Focus can be moved to and from all components without requiring a mouse, providing a seamless experience for keyboard-only users.
2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	The application supports character key shortcuts that are customizable and can be turned off or remapped by the user. This ensures that keyboard shortcuts do not interfere with other functionalities or unintentionally activate actions. Compliance with WCAG 2.1 criteria 2.1.4 enhances accessibility for users with motor disabilities and those using assistive technologies.

Criteria	Conformance Level	Remarks and Explanations
<u>2.2.1 Timing Adjustable</u> (Level A) Also applies to: EN 301 549 Criteria ● 9.2.2.1 (Web) ● 10.2.2.1 (Non-web document) ● 11.2.2.1 (Open Functionality Software) ● 11.2.2.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Not applicable	The web application does not include content with a timeout.
<u>2.2.2 Pause, Stop, Hide</u> (Level A) Also applies to: EN 301 549 Criteria ● 9.2.2.2 (Web) ● 10.2.2.2 (Non-web document) ● 11.2.2.2 (Open Functionality Software) ● 11.2.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Supports	For Criteria 2.2.2 Pause, Stop, Hide, the application supports the requirement by providing options to pause or stop certain time-limited content or functionality.
<u>2.3.1 Three Flashes or Below Threshold</u> (Level A) Also applies to: EN 301 549 Criteria ● 9.2.3.1 (Web)	Supports	The application ensures that content does not flash more than three times in any one-second

Criteria	Conformance Level	Remarks and Explanations
10.2.3.1 (Non-web document) 11.2.3.1 (Open Functionality Software) 11.2.3.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		period, adhering to safety thresholds to prevent seizures. This includes animations, videos, and any dynamic content presented to the user. Compliance with WCAG 2.1 criteria 2.3.1 is maintained, prioritizing the safety and comfort of users with photosensitive epilepsy.
2.4.1 Bypass Blocks (Level A) Also applies to: EN 301 549 Criteria 9.2.4.1 (Web) 10.2.4.1 (Non-web document) – Does not apply 11.2.4.1 (Open Functionality Software) – Does not apply 11.2.4.1 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Supports	The application supports mechanisms to bypass repetitive content, such as skip navigation links. Users may find it challenging to efficiently navigate certain sections without having to tab through repeated elements.
2.4.2 Page Titled (Level A) Also applies to: EN 301 549 Criteria 9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) - Does not apply 11.2.4.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs)	Supports	The application ensures that each web page has a descriptive and informative title, clearly indicating its purpose or content. This helps users quickly understand the context of the page and navigate more effectively.

Criteria	Conformance Level	Remarks and Explanations
12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		Compliance with WCAG 2.1 criteria 2.4.2 enhances the user experience, particularly for individuals using assistive technologies like screen readers.
<u>2.4.3 Focus Order</u> (Level A) Also applies to: EN 301 549 Criteria 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	All tested functionality receives focus in a logical and meaningful sequence that preserves operability and meaning.
<u>2.4.4 Link Purpose (In Context)</u> (Level A) Also applies to: EN 301 549 Criteria 9.2.4.4 (Web) 10.2.4.4 (Non-web document) 11.2.4.4 (Open Functionality Software) 11.2.4.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	For Criteria 2.4.4 Link Purpose (In Context), the application ensures that all links are clearly labeled and convey their purpose within the context in which they appear.

Criteria	Conformance Level	Remarks and Explanations
<u>2.5.1 Pointer Gestures</u> (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria ● 9.2.5.1 (Web) ● 10.2.5.1 (Non-web document) ● 11.2.5.1 (Open Functionality Software) ● 11.2.5.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	For Criteria 2.5.1 Pointer Gestures, the application supports single-point activation for all functionality that relies on pointer input. This ensures that complex gestures, such as multi-finger swipes or long presses, are not required, making the application accessible to users with various motor disabilities.
<u>2.5.2 Pointer Cancellation</u> (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria ● 9.2.5.2 (Web) ● 10.2.5.2 (Non-web document) ● 11.2.5.2 (Open Functionality Software) ● 11.2.5.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	The application thus provides a reliable way to prevent unintended actions, enhancing accessibility for users with varying levels of motor control.
<u>2.5.3 Label in Name</u> (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria ● 9.2.5.3 (Web) ● 10.2.5.3 (Non-web document) ● 11.2.5.3.1 (Open Functionality Software) ● 11.2.5.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	The application ensures that the accessible name of each user interface component includes any visible text label associated with it. This alignment between the visible label and the programmatic name improves usability for screen reader users, who can rely on the consistent labeling to understand and interact with the application.

Criteria	Conformance Level	Remarks and Explanations
<u>2.5.4 Motion Actuation</u> (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria ● 9.2.5.4 (Web) ● 10.2.5.4 (Non-web document) ● 11.2.5.4 (Open Functionality Software) ● 11.2.5.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	The application allows users to perform actions through motion-activated input, such as shaking or tilting, but also provides alternative methods for all such functionalities. This ensures that users who cannot or prefer not to use motion gestures can still access all features through more conventional input methods, enhancing overall accessibility.
<u>3.1.1 Language of Page</u> (Level A) Also applies to: EN 301 549 Criteria ● 9.3.1.1 (Web) ● 10.3.1.1 (Non-web document) ● 11.3.1.1.1 (Open Functionality Software) ● 11.3.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Supports	The application programmatically specifies the default language for each web page using the appropriate language attribute in the HTML, ensuring accurate interpretation and vocalization by assistive technologies.
<u>3.2.1 On Focus</u> (Level A) Also applies to: EN 301 549 Criteria ● 9.3.2.1 (Web) ● 10.3.2.1 (Non-web document) ● 11.3.2.1 (Open Functionality Software)	Supports	The application programmatically specifies the default language for each web page using the appropriate language attribute in the HTML,

Criteria	Conformance Level	Remarks and Explanations
11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		ensuring accurate interpretation and vocalization by assistive technologies.
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Changing the setting of any tested user interface component does not automatically cause an unexpected change of context.
3.2.6 Consistent Help (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	The application provides help and support features consistently across all its interfaces and functionalities. This uniformity ensures that users can access assistance whenever needed, fostering a user-friendly experience and promoting accessibility for all users.
3.3.1 Error Identification (Level A)		

Criteria	Conformance Level	Remarks and Explanations
Also applies to: EN 301 549 Criteria ● 9.3.3.1 (Web) ● 10.3.3.1 (Non-web document) ● 11.3.3.1.1 (Open Functionality Software) ● 11.3.3.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Supports	The application fully supports the requirement by providing clear and descriptive error messages whenever there is a validation error or input mistake, aiding users in understanding and resolving issues effectively.
<u>3.3.2 Labels or Instructions</u> (Level A) Also applies to: EN 301 549 Criteria ● 9.3.3.2 (Web) ● 10.3.3.2 (Non-web document) ● 11.3.3.2 (Open Functionality Software) ● 11.3.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Partially Supports	Most form controls provide appropriate labels and instructions. The following exception was identified: Respweb survey: ● Some mandatory form fields are not programmatically identified or announced as required by screen readers.
<u>3.3.7 Redundant Entry</u> (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	The application is designed to minimize redundant data entry by automatically populating previously entered information wherever applicable.

Criteria	Conformance Level	Remarks and Explanations
<u>4.1.1 Parsing</u> (Level A) Applies to: WCAG 2.0 and 2.1 – Always answer ‘Supports’ WCAG 2.2 (obsolete and removed) - Does not apply EN 301 549 Criteria ● 9.4.1.1 (Web) ● 10.4.1.1 (Non-web document) ● 11.4.1.1.1 (Open Functionality Software) ● 11.4.1.1.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Supports	For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata.
<u>4.1.2 Name, Role, Value</u> (Level A) Also applies to: EN 301 549 Criteria ● 9.4.1.2 (Web) ● 10.4.1.2 (Non-web document) ● 11.4.1.2.1 (Open Functionality Software) ● 11.4.1.2.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Partially Supports	Most user interface components provide appropriate accessible names, roles, and values. The following exceptions were identified: Respweb survey: ● The default “Previous” and “Next” button labels do not provide sufficient accessible names to clearly communicate their purpose to screen reader users. Survey owners can

Criteria	Conformance Level	Remarks and Explanations
		customize these button labels as desired. Responseweb survey: The default “Previous” and “Next” button labels do not provide sufficient accessible names to clearly communicate their purpose to screen reader users. Survey owners can customize these button labels as desired.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.4 (Web) 10.1.2.4 (Non-web document) 11.1.2.4 (Open Functionality Software) 11.1.2.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not applicable	T here is no live multimedia content present in the application.

Criteria	Conformance Level	Remarks and Explanations
<u>1.2.5 Audio Description (Prerecorded)</u> (Level AA) Also applies to: EN 301 549 Criteria ● 9.1.2.5 (Web) ● 10.1.2.5 (Non-web document) ● 11.1.2.5 (Open Functionality Software) ● 11.1.2.5 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Not applicable	The web application does not include pre recorded video content.
<u>1.3.4 Orientation</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria ● 9.1.3.4 (Web) ● 10.1.3.4 (Non-web document) ● 11.1.3.4 (Open Functionality Software) ● 11.1.3.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	The application fully supports accessibility by ensuring that its content is operable and functional in both portrait and landscape orientations. This flexibility allows users to interact with the application effectively, regardless of their device's orientation preferences.
<u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria ● 9.1.3.5 (Web) ● 10.1.3.5 (Non-web document) ● 11.1.3.5.1 (Open Functionality Software) ● 11.1.3.5.2 (Closed Software) ● 11.8.2 (Authoring Tool)	Supports	Input fields that collect user information expose their purpose programmatically using appropriate semantic markup and attributes. This allows assistive technologies and user agents to correctly identify the intended input

Criteria	Conformance Level	Remarks and Explanations
12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply		purpose and support features such as autofill where applicable.
<u>1.4.3 Contrast (Minimum)</u> (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.3 (Web) 10.1.4.3 (Non-web document) 11.1.4.3 (Open Functionality Software) 11.1.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	Most text meets the minimum required color contrast ratio. The following exception was identified: Responseweb survey: Placeholder text in date/time fields does not meet the minimum required contrast ratio of 4.5:1 against its background.
<u>1.4.4 Resize text</u> (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.4 (Web) 10.1.4.4 (Non-web document) 11.1.4.4.1 (Open Functionality Software) 11.1.4.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	The application supports text resizing up to 200% without loss of content or functionality, ensuring accessibility for users with visual impairments.
<u>1.4.5 Images of Text</u> (Level AA) Also applies to:		

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria ● 9.1.4.5 (Web) ● 10.1.4.5 (Non-web document) ● 11.1.4.5.1 (Open Functionality Software) ● 11.1.4.5.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Supports	The application avoids using images of text except for logos and essential branding, ensuring that text remains accessible and resizable for all users.
1.4.10 Reflow (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria ● 9.1.4.10 (Web) ● 10.1.4.10 (Non-web document) ● 11.1.4.10 (Open Functionality Software) ● 11.1.4.10 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	The application supports reflow for most content, enabling it to adapt to different screen sizes and orientations without horizontal scrolling.
1.4.11 Non-text Contrast (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria ● 9.1.4.11 (Web) ● 10.1.4.11 (Non-web document) ● 11.1.4.11 (Open Functionality Software) ● 11.1.4.11 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs)	Partially Supports	Most user interface components meet the required non-text contrast ratio. The following exceptions were identified: Respweb survey: ● Unselected rating icons, including star, heart, thumb, and smiley icons, do not

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 – Does not apply		meet the required minimum contrast ratio of 3:1. Responseweb survey: Unselected rating icons, including star, heart, thumb, and smiley icons, and date/time icons do not meet the required minimum contrast ratio of 3:1.
1.4.12 Text Spacing (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.1.4.12 (Web) 10.1.4.12 (Non-web document) 11.1.4.12 (Open Functionality Software) 11.1.4.12 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	The application supports appropriate text spacing, allowing users to adjust spacing settings to meet their readability preferences and accessibility needs.
1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.1.4.13 (Web) 10.1.4.13 (Non-web document) 11.1.4.13 (Open Functionality Software) 11.1.4.13 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	The application is designed to ensure that additional content displayed on hover or focus, such as tooltips or dropdowns, is accessible and does not interfere with user interaction. Users can dismiss the content without moving the pointer or keyboard focus, and the content remains visible as long as it is needed.
2.4.5 Multiple Ways (Level AA)		

Criteria	Conformance Level	Remarks and Explanations
Also applies to: EN 301 549 Criteria ● 9.2.4.5 (Web) ● 10.2.4.5 (Non-web document) – Does not apply ● 11.2.4.5 (Open Functionality Software) – Does not apply ● 11.2.4.5 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs	Supports	The application fully meets Criteria 2.4.5 by providing multiple ways to locate and navigate content, ensuring accessibility for users with diverse needs and preferences.
<u>2.4.6 Headings and Labels</u> (Level AA) Also applies to: EN 301 549 Criteria ● 9.2.4.6 (Web) ● 10.2.4.6 (Non-web document) ● 11.2.4.6 (Open Functionality Software) ● 11.2.4.6 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Supports	Headings and labels throughout the tested content clearly and accurately describe their associated topic or purpose.
<u>2.4.7 Focus Visible</u> (Level AA) Also applies to: EN 301 549 Criteria ● 9.2.4.7 (Web) ● 10.2.4.7 (Non-web document) ● 11.2.4.7 (Open Functionality Software)	Partially Supports	Most interactive elements provide a visible keyboard focus indicator. The following exception was identified:

Criteria	Conformance Level	Remarks and Explanations
11.2.4.7 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		Responseweb survey: Keyboard focus is not visibly indicated on certain rating icons, including star, heart, thumb, and smiley icons.
<u>2.4.11 Focus Not Obscured (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	The application fully meets Criteria 2.4.11 by ensuring that focus is not obscured when navigating through interactive elements, maintaining accessibility and usability for users who rely on keyboard navigation or screen readers.
<u>2.5.7 Dragging Movements</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not applicable	Criteria 2.5.7 is not applicable to this application as it does not involve dragging movements as part of its functionality or user interactions.
<u>2.5.8 Target Size (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	The application fully meets Criteria 2.5.8 by ensuring that interactive targets, such as buttons and links, have a minimum size that allows for easy activation and reduces the risk of accidental activation for users with motor impairments.
<u>3.1.2 Language of Parts</u> (Level AA) Also applies to: EN 301 549 Criteria 9.3.1.2 (Web)		

Criteria	Conformance Level	Remarks and Explanations
10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) – Does not apply 11.3.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Lang attribute is defined for the text written in foreign language.
<u>3.2.3 Consistent Navigation</u> (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.3 (Web) 10.3.2.3 (Non-web document) – Does not apply 11.3.2.3 (Open Functionality Software) – Does not apply 11.3.2.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Supports	Navigational mechanisms that are repeated across the tested content occur in a consistent relative order.
<u>3.2.4 Consistent Identification</u> (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.4 (Web) 10.3.2.4 (Non-web document) – Does not apply 11.3.2.4 (Open Functionality Software) – Does not apply 11.3.2.4 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs)	Supports	Consistent identification within the application, such as labeling elements and providing clear instructions, fosters a user-friendly environment for individuals with varying cognitive abilities, supporting effective navigation and task completion

Criteria	Conformance Level	Remarks and Explanations
12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs		
3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.3 (Web) 10.3.3.3 (Non-web document) 11.3.3.3 (Open Functionality Software) 11.3.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Most error messages provide sufficient information to help users identify and correct input errors. The following exceptions were identified: Respweb survey: - Error messages associated with file upload fields are not sufficiently descriptive to help screen reader users understand and correct the error. - Error messages associated with matrix dropdown fields are not sufficiently descriptive to help screen reader users understand and correct the error. Responseweb survey: - Error messages associated with ranking fields are not sufficiently descriptive to help screen reader users understand and correct the error. - Error messages associated with file upload fields are not sufficiently descriptive to help screen reader users understand and correct the error.

Criteria	Conformance Level	Remarks and Explanations
		• Error messages associated with best/worst selection fields are not sufficiently descriptive to help screen reader users understand and correct the error. • Error messages associated with name fields are not sufficiently descriptive to help screen reader users understand and correct the error. • Error messages associated with email fields are not sufficiently descriptive to help screen reader users understand and correct the error.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not Applicable	This success criterion is related to legal commitment, financial data, etc., which involves serious risk, if no option, is provided for user to review or revert the data before submission. However, application does not have any such forms, where such risk is associated.
3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	The authentication process uses a standard username and password login mechanism and does not require users to complete cognitive function tests such as solving puzzles,

Criteria	Conformance Level	Remarks and Explanations
		performing calculations, or recalling information beyond standard credentials. Password managers and copy/paste functionality are supported.
4.1.3 Status Messages (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria ● 9.4.1.3 (Web) ● 10.4.1.3 (Non-web document) ● 11.4.1.3 (Open Functionality Software) ● 11.4.1.3 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Partially Supports	Status messages are generally communicated to screen reader users. The following exceptions were identified: Respweb survey: ● Certain error status messages are announced only on the first interaction. On subsequent interactions, the status change is not announced by the screen reader. Responseweb survey: ● The “response cleared” status is announced only on the first interaction. On subsequent interactions, the status change is not announced by the screen reader.

Table 3: Success Criteria, Level AAA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<u>1.2.6 Sign Language (Prerecorded)</u> (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
<u>1.2.7 Extended Audio Description (Prerecorded)</u> (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
<u>1.2.8 Media Alternative (Prerecorded)</u> (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
<u>1.2.9 Audio-only (Live)</u> (Level AAA) EN 301 549 Criteria– Does not apply Revised Section 508 – Does not apply	Not Evaluated	
<u>1.3.6 Identify Purpose</u> (Level AAA 2.1 and 2.2) EN 301 549 Criteria– Does not apply Revised Section 508 – Does not apply	Not Evaluated	
<u>1.4.6 Contrast (Enhanced)</u> (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
<u>1.4.7 Low or No Background Audio</u> (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
<u>1.4.8 Visual Presentation</u> (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
<u>1.4.9 Images of Text (No Exception)</u> (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
<u>2.1.3 Keyboard (No Exception)</u> (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
<u>2.2.3 No Timing</u> (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	

Criteria	Conformance Level	Remarks and Explanations
2.2.4 Interruptions (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
2.2.5 Re-authenticating (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
2.2.6 Timeouts (Level AAA 2.1 and 2.2) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
2.3.2 Three Flashes (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
2.3.3 Animation from Interactions (Level AAA 2.1 and 2.2) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
2.4.8 Location (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
2.4.9 Link Purpose (Link Only) (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
2.4.10 Section Headings (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
2.4.12 Focus Not Obscured (Enhanced) (Level AAA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
2.4.13 Focus Appearance (Level AAA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
2.5.5 Target Size (Level AAA 2.1 and 2.2) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	

Criteria	Conformance Level	Remarks and Explanations
2.5.6 Concurrent Input Mechanisms (Level AAA 2.1 and 2.2) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
3.1.3 Unusual Words (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
3.1.4 Abbreviations (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
3.1.5 Reading Level (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
3.1.6 Pronunciation (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
3.2.5 Change on Request (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
3.3.5 Help (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
3.3.6 Error Prevention (All) (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	
3.3.9 Accessible Authentication (Enhanced) (Level AAA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Evaluated	

Revised Section 508 Report

Notes: Functional Performance Criteria evaluations are based on WCAG 2.1 and WCAG 2.2 Level A and AA testing results documented in this report.

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	The product provides functionality for users without vision; however, some content and controls do not provide sufficient programmatic information for assistive technologies. Exceptions include missing or insufficient text alternatives, incorrect or missing programmatic relationships, insufficient accessible names for controls, required-field information that is not appropriately conveyed, insufficiently descriptive error information, and status messages that are not consistently announced by screen readers.
302.2 With Limited Vision	Partially Supports	The product provides functionality for users with limited vision; however, some text and non-text user interface components do not meet required contrast ratios, and visible keyboard focus is not consistently provided for certain interactive controls.

Criteria	Conformance Level	Remarks and Explanations
302.3 Without Perception of Color	Supports	The product does not require perception of color as the sole means of identifying information, indicating an action, prompting a response, or distinguishing visual elements within the evaluated functionality.
302.4 Without Hearing	Supports	The evaluated functionality does not require hearing for operation or access to information.
302.5 With Limited Hearing	Supports	The evaluated functionality does not require auditory perception for operation or access to information.
302.6 Without Speech	Supports	The evaluated functionality does not require speech input for operation.
302.7 With Limited Manipulation	Partially Supports	The product generally supports keyboard operation; however, some interactive functionality cannot be fully operated using a keyboard, and focus order is not consistently logical for certain controls.

Criteria	Conformance Level	Remarks and Explanations
302.8 With Limited Reach and Strength	Supports	The evaluated web-based functionality does not require significant reach or physical strength for operation.
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	The product generally provides labels and instructions to support completion of surveys; however, some error messages do not provide sufficiently descriptive information or suggestions to help users identify and correct errors, and some required-field instructions are not adequately conveyed.

Chapter 4: [Hardware](#)

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

Criteria	Conformance Level	Remarks and Explanations
<i>402 Closed Functionality</i>	Heading cell – no response required	Heading cell – no response required
<i>402.1 General</i>	Heading cell – no response required	Heading cell – no response required
<i>402.2 Speech-Output Enabled</i>	Heading cell – no response required	Heading cell – no response required
402.2.1 Information Displayed On-Screen	Not applicable	
402.2.2 Transactional Outputs	Not applicable	
402.2.3 Speech Delivery Type and Coordination	Not applicable	
402.2.4 User Control	Not applicable	

Criteria	Conformance Level	Remarks and Explanations
402.2.5 Braille Instructions	Not applicable	
402.3 Volume	Heading cell – no response required	Heading cell – no response required
402.3.1 Private Listening	Not applicable	
402.3.2 Non-private Listening	Not applicable	
402.4 Characters on Display Screens	Not applicable	
402.5 Characters on Variable Message Signs	Not applicable	
<u>403 Biometrics</u>	Heading cell – no response required	Heading cell – no response required
403.1 General	Not applicable	
<u>404 Preservation of Information Provided for Accessibility</u>	Heading cell – no response required	Heading cell – no response required
404.1 General	Not applicable	
<u>405 Privacy</u>	Heading cell – no response required	Heading cell – no response required
405.1 General	Not applicable	
<u>406 Standard Connections</u>	Heading cell – no response required	Heading cell – no response required
406.1 General	Not applicable	
<u>407 Operable Parts</u>	Heading cell – no response required	Heading cell – no response required
407.2 Contrast	Not applicable	
407.3 Input Controls	Heading cell – no response required	Heading cell – no response required
407.3.1 Tactilely Discernible	Not applicable	
407.3.2 Alphabetic Keys	Not applicable	
407.3.3 Numeric Keys	Not applicable	
407.4 Key Repeat	Not applicable	
407.5 Timed Response	Not applicable	
407.6 Operation	Not applicable	
407.7 Tickets, Fare Cards, and Keycards	Not applicable	

Criteria	Conformance Level	Remarks and Explanations
407.8 Reach Height and Depth	Heading cell – no response required	Heading cell – no response required
407.8.1 Vertical Reference Plane	Not applicable	
407.8.1.1 Vertical Plane for Side Reach	Not applicable	
407.8.1.2 Vertical Plane for Forward Reach	Not applicable	
407.8.2 Side Reach	Not applicable	
407.8.2.1 Unobstructed Side Reach	Not applicable	
407.8.2.2 Obstructed Side Reach	Not applicable	
407.8.3 Forward Reach	Not applicable	
407.8.3.1 Unobstructed Forward Reach	Not applicable	
407.8.3.2 Obstructed Forward Reach	Not applicable	
407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach	Not applicable	
407.8.3.2.2 Knee and Toe Space under ICT with Obstructed Forward Reach	Not applicable	
<u>408 Display Screens</u>	Heading cell – no response required	Heading cell – no response required
408.2 Visibility	Not applicable	
408.3 Flashing	Not applicable	
<u>409 Status Indicators</u>	Heading cell – no response required	Heading cell – no response required
409.1 General	Not applicable	
<u>410 Color Coding</u>	Heading cell – no response required	Heading cell – no response required
410.1 General	Not applicable	
<u>411 Audible Signals</u>	Heading cell – no response required	Heading cell – no response required
411.1 General		
<u>412 ICT with Two-Way Voice Communication</u>	Heading cell – no response required	Heading cell – no response required
412.2 Volume Gain	Heading cell – no response required	Heading cell – no response required
412.2.1 Volume Gain for Wireline Telephones	Not applicable	

Criteria	Conformance Level	Remarks and Explanations
412.2.2 Volume Gain for Non-Wireline ICT	Not applicable	
412.3 Interference Reduction and Magnetic Coupling	Heading cell – no response required	Heading cell – no response required
412.3.1 Wireless Handsets	Not applicable	
412.3.2 Wireline Handsets	Not applicable	
412.4 Digital Encoding of Speech	Not applicable	
412.5 Real-Time Text Functionality	Reserved for future	Reserved for future
412.6 Caller ID	Not applicable	
412.7 Video Communication	Not applicable	
412.8 Legacy TTY Support	Heading cell – no response required	Heading cell – no response required
412.8.1 TTY Connectability	Not applicable	
412.8.2 Voice and Hearing Carry Over	Not applicable	
412.8.3 Signal Compatibility	Not applicable	
412.8.4 Voice Mail and Other Messaging Systems	Not applicable	
<u>413 Closed Caption Processing Technologies</u>	Heading cell – no response required	Heading cell – no response required
413.1.1 Decoding and Display of Closed Captions	Not applicable	
413.1.2 Pass-Through of Closed Caption Data	Not applicable	
<u>414 Audio Description Processing Technologies</u>	Heading cell – no response required	Heading cell – no response required
414.1.1 Digital Television Tuners	Not applicable	
414.1.2 Other ICT	Not applicable	
<u>415 User Controls for Captions and Audio Descriptions</u>	Heading cell – no response required	Heading cell – no response required
415.1.1 Caption Controls	Not applicable	
415.1.2 Audio Description Controls	Not applicable	

Chapter 5: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.x section	See information in WCAG 2.x section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	See WCAG 2.x section	
502.2.2 No Disruption of Accessibility Features	See WCAG 2.x section	
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	See WCAG 2.x section	
502.3.2 Modification of Object Information	See WCAG 2.x section	
502.3.3 Row, Column, and Headers	See WCAG 2.x section	
502.3.4 Values	See WCAG 2.x section	
502.3.5 Modification of Values	See WCAG 2.x section	
502.3.6 Label Relationships	See WCAG 2.x section	
502.3.7 Hierarchical Relationships	See WCAG 2.x section	
502.3.8 Text	See WCAG 2.x section	
502.3.9 Modification of Text	See WCAG 2.x section	
502.3.10 List of Actions	See WCAG 2.x section	
502.3.11 Actions on Objects	See WCAG 2.x section	
502.3.12 Focus Cursor	See WCAG 2.x section	
502.3.13 Modification of Focus Cursor	See WCAG 2.x section	
502.3.14 Event Notification	See WCAG 2.x section	
502.4 Platform Accessibility Features	See WCAG 2.x section	
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	See WCAG 2.x section	
503.3 Alternative User Interfaces	See WCAG 2.x section	
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	See WCAG 2.x section	
503.4.2 Audio Description Controls	See WCAG 2.x section	
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See WCAG 2.x section	See information in WCAG 2.x section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not applicable	

Criteria	Conformance Level	Remarks and Explanations
504.2.2 PDF Export	Not applicable	
504.3 Prompts	See WCAG 2.x section	
504.4 Templates	See WCAG 2.x section	

Chapter 6: [Support Documentation and Services](#)

Notes: Not applicable

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Not applicable	
602.3 Electronic Support Documentation	Not applicable	See information in WCAG 2.x section
602.4 Alternate Formats for Non-Electronic Support Documentation	Not applicable	
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Not applicable	
603.3 Accommodation of Communication Needs	Not applicable	

EN 301 549 Report

Notes:

Clause [4: Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	The product provides functionality for users without vision; however, some content and controls do not provide sufficient programmatic information for assistive technologies. Exceptions include missing or insufficient text alternatives, incorrect or missing programmatic relationships, insufficient accessible names for controls, required-field information that is not appropriately conveyed, insufficiently descriptive error information, and status messages that are not consistently announced by screen readers.
4.2.2 Usage with limited vision	Partially Supports	The product provides functionality for users with limited vision; however, some text and non-text user interface components do not meet required contrast ratios, and visible keyboard focus is not

		consistently provided for certain interactive controls.
4.2.3 Usage without perception of colour	Supports	The product does not rely solely on color to convey information. Interactive elements include text labels, icons, or structural indicators that allow users to understand content and functionality without requiring perception of color.
4.2.4 Usage without hearing	Supports	The product does not rely on audio output; no hearing-dependent functionality is impacted.
4.2.5 Usage with limited hearing	Supports	Same as above; no impact for users with partial hearing loss.
4.2.6 Usage with no or limited vocal capability	Supports	The product does not require voice input; all tasks are fully operable via touch, keyboard, or pointer input.
4.2.7 Usage with limited manipulation or strength	artially Supports	The product generally supports keyboard operation; however, some interactive functionality cannot be fully operated using a keyboard, and focus order is not consistently logical for certain controls.

4.2.8 Usage with limited reach	Supports	All controls can be accessed programmatically and are reachable with standard input devices; no off-screen or unreachable content was identified.
4.2.9 Minimize photosensitive seizure triggers	Supports	No flashing content or animations exceeding WCAG 2.3.1 (Three Flashes) threshold were identified.
4.2.10 Usage with limited cognition, language or learning	artially Supports	The product generally provides labels, instructions, and error information to support completion of survey tasks; however, some error messages do not provide sufficiently descriptive information or suggestions to help users identify and correct errors, and some required-field instructions are not adequately conveyed.
4.2.11 Privacy	Supports	he evaluated functionality does not require users with disabilities to compromise privacy in order to access or operate accessibility features

Clause [5: Generic Requirements](#)

Notes: Not Applicable

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 Audio output of visual information	Not Applicable	
5.1.3.2 Auditory output delivery including speech	Not Applicable	
5.1.3.3 Auditory output correlation	Not Applicable	
5.1.3.4 Speech output user control	Not Applicable	
5.1.3.5 Speech output automatic interruption	Not Applicable	
5.1.3.6 Speech output for non-text content	Not Applicable	
5.1.3.7 Speech output for video information	Not Applicable	
5.1.3.8 Masked entry	Not Applicable	
5.1.3.9 Private access to personal data	Not Applicable	
5.1.3.10 Non-interfering audio output	Not Applicable	
5.1.3.11 Private listening volume	Not Applicable	
5.1.3.12 Speaker volume	Not Applicable	
5.1.3.13 Volume reset	Not Applicable	
5.1.3.14 Spoken languages	Not Applicable	
5.1.3.15 Non-visual error identification	Not Applicable	
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	
5.1.4 Functionality closed to text enlargement	Not Applicable	
5.1.5 Visual output for auditory information	Not Applicable	
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Not Applicable	
5.1.7 Access without speech	Not Applicable	
5.2 Activation of accessibility features	Not Applicable	
5.3 Biometrics	Not Applicable	
5.4 Preservation of accessibility information during conversion	Not Applicable	
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not Applicable	
5.5.2 Operable parts discernibility	Not Applicable	
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not Applicable	
5.6.2 Visual status	Not Applicable	
5.7 Key repeat	Not Applicable	
5.8 Double-strike key acceptance	Not Applicable	
5.9 Simultaneous user actions	Not Applicable	

Clause [6: ICT with Two-Way Voice Communication](#)

Notes: Not Applicable

Criteria	Conformance Level	Remarks and Explanations
6.1 Audio bandwidth for speech	Not Applicable	
6.2 Real-time text (RTT) functionality	Heading cell – no response required	Heading cell – no response required
6.2.1.1 RTT communication	Not Applicable	
6.2.1.2 Concurrent voice and text	Not Applicable	
6.2.2.1 Visually distinguishable display	Not Applicable	
6.2.2.2 Programmatically determinable send and receive direction	Not Applicable	
6.2.2.3 Speaker identification	Not Applicable	

6.2.2.4 Visual indicator of Audio with RTT	Not Applicable	
6.2.3 Interoperability	Not Applicable	
6.2.4 RTT responsiveness	Not Applicable	
6.3 Caller ID	Not Applicable	
6.4 Alternatives to voice-based services	Not Applicable	
6.5 Video communication	Heading cell – no response required	Heading cell – no response required
6.5.1 General (informative)	Heading cell – no response required	Heading cell – no response required
6.5.2 Resolution	Not Applicable	
6.5.3 Frame rate	Not Applicable	
6.5.4 Synchronization between audio and video	Not Applicable	
6.5.5 Visual indicator of audio with video	Not Applicable	
6.5.6 Speaker identification with video (sign language) communication	Not Applicable	
6.6 Alternatives to video-based services (advisory only)	Advisory – no response required	Advisory – no response required

Clause [7: ICT with Video Capabilities](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
7.1 Caption processing technology	Heading cell – no response required	Heading cell – no response required
7.1.1 Captioning playback	Not Applicable	
7.1.2 Captioning synchronization	Not Applicable	
7.1.3 Preservation of captioning	Not Applicable	
7.1.4 Captions characteristics	Not Applicable	
7.1.5 Spoken subtitles	Not Applicable	
7.2.1 Audio description playback	Not Applicable	
7.2.2 Audio description synchronization	Not Applicable	
7.2.3 Preservation of audio description	Not Applicable	
7.3 User controls for captions and audio description	Not Applicable	

Clause [8: Hardware](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
8.1.1 Generic requirements	Heading cell – no response required	Heading cell – no response required
8.1.2 Standard connections	Not Applicable	
8.1.3 Colour	Not Applicable	
8.2 Hardware products with speech output	Heading cell – no response required	Heading cell – no response required
8.2.1.1 Speech volume range	Not Applicable	
8.2.1.2 Incremental volume control	Not Applicable	
8.2.2.1 Fixed-line devices	Not Applicable	
8.2.2.2 Wireless communication devices	Not Applicable	
8.3 Stationary ICT	Heading cell – no response required	Heading cell – no response required
8.3.2.1 Unobstructed high forward reach	Not Applicable	
8.3.2.2 Unobstructed low forward reach	Not Applicable	
8.3.2.3.1 Clear space	Not Applicable	
8.3.2.3.2 Obstructed (< 510 mm) forward reach	Not Applicable	
8.3.2.3.3 Obstructed (< 635 mm) forward reach	Not Applicable	
8.3.2.4 Knee and toe clearance width	Not Applicable	
8.3.2.5 Toe clearance	Not Applicable	
8.3.2.6 Knee clearance	Not Applicable	
8.3.3.1 Unobstructed high side reach	Not Applicable	
8.3.3.2 Unobstructed low side reach	Not Applicable	
8.3.3.3.1 Obstructed ($\leq$ 255 mm) side reach	Not Applicable	
8.3.3.3.2 Obstructed ($\leq$ 610 mm) side reach	Not Applicable	
8.3.4.1 Change in level	Not Applicable	
8.3.4.2 Clear floor or ground space	Not Applicable	
8.3.4.3.2 Forward approach	Not Applicable	
8.3.4.3.3 Parallel approach	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
8.3.5 Visibility	Not Applicable	
8.3.6 Installation instructions	Not Applicable	
8.4 Mechanically Operable parts	Heading cell – no response required	Heading cell – no response required
8.4.1 Numeric keys	Not Applicable	
8.4.2.1 Means of operation of mechanical parts	Not Applicable	
8.4.2.2 Force of operation of mechanical parts	Not Applicable	
8.4.3 Keys, tickets and fare cards	Not Applicable	
8.5 Tactile indication of speech mode	Not Applicable	

Clause [9: Web](#) (see [WCAG 2.x section](#))

Notes: Not Applicable

Clause [10: Non-Web Documents](#)

Notes: Not Applicable

Criteria	Conformance Level	Remarks and Explanations
10.0 General (informative)	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See WCAG 2.x section	See information in WCAG 2.x section
10.5 Caption positioning	Not Applicable	
10.6 Audio description timing	Not Applicable	

Clause [11: Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
11.0 General (informative)	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See WCAG 2.x section	See information in WCAG 2.x section

Criteria	Conformance Level	Remarks and Explanations
11.5 Interoperability with assistive technology	Heading cell – no response required	Heading cell – no response required
11.5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Not Applicable	
11.5.2.5 Object information	Not Applicable	
11.5.2.6 Row, column, and headers	Not Applicable	
11.5.2.7 Values	Not Applicable	
11.5.2.8 Label relationships	Not Applicable	
11.5.2.9 Parent-child relationships	Not Applicable	
11.5.2.10 Text	Not Applicable	
11.5.2.11 List of available actions	Not Applicable	
11.5.2.12 Execution of available actions	Not Applicable	
11.5.2.13 Tracking of focus and selection attributes	Not Applicable	
11.5.2.14 Modification of focus and selection attributes	Not Applicable	
11.5.2.15 Change notification	Not Applicable	
11.5.2.16 Modifications of states and properties	Not Applicable	
11.5.2.17 Modifications of values and text	Not Applicable	
11.6 Documented accessibility usage	Not Applicable	Heading cell – no response required
11.6.1 User control of accessibility features	Not Applicable	
11.6.2 No disruption of accessibility features	Not Applicable	
11.7 User preferences	Not Applicable	
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.8.1 Content technology	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
11.8.2 Accessible content creation	See WCAG 2.x section (If not authoring tool, enter “Not Applicable”)	See information in WCAG 2.x section
11.8.3 Preservation of accessibility information in transformations	Not Applicable	
11.8.4 Repair assistance	Not Applicable	
11.8.5 Templates	Not Applicable	

Clause [12: Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Not Applicable	
12.1.2 Accessible documentation	Not Applicable	See information in WCAG 2.x section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Not Applicable	
12.2.3 Effective communication	Not Applicable	
12.2.4 Accessible documentation	Not Applicable	See information in WCAG 2.x section

Clause [13: ICT Providing Relay or Emergency Service Access](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
13.1 Relay services requirements	Heading cell – no response required	Heading cell – no response required
13.1.2 Text relay services	Not Applicable	
13.1.3 Sign relay services	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
13.1.4 Lip-reading relay services	Not Applicable	
13.1.5 Captioned telephony services	Not Applicable	
13.1.6 Speech to speech relay services	Not Applicable	
13.2 Access to relay services	Not Applicable	
13.3 Access to emergency services	Not Applicable	

Legal Disclaimer (Company)

As of the date of publication indicated in the information table at the beginning of this Accessibility Conformance Report, this report represents the current accessibility information for the SurveyMonkey Survey-Taking Platform — Respweb and Responseweb, as evaluated and documented using the ITI VPAT® 2.5 Rev INT framework.

SurveyMonkey cannot guarantee that the information contained in this Accessibility Conformance Report will remain accurate after the publication date. Changes, updates, modifications, or customizations to the product may affect the applicability or accuracy of the accessibility information documented in this report.

This Accessibility Conformance Report reflects the product and functionality evaluated as of the report date and is provided “as is” for informational purposes.